

ANTENNA PERFORMANCE PREDICTION USING MACHINE LEARNING

Jagati Swathi¹, Anneboina Vignesh², Danda Avinash reddy³, Jella Akshith⁴,
K.Sumanth⁵, Dr. Venkataramana. B⁶

¹*Student, BTech AI & ML 4th Year, Holy Mary Inst. Of Tech. and Science,
Hyderabad, TG, India,
swathijagati96@gmail.com*

²*Student, BTech AI & ML 4th Year, Holy Mary Inst. Of Tech. and Science,
Hyderabad, TG, India,
Vigneshvinnu513@gmail.com*

³*Student, BTech AI & ML 4th Year, Holy Mary Inst. Of Tech. and Science,
Hyderabad, TG, India,
abhiabhiredy07@gmail.com*

⁴*Student, BTech AI & ML 4th Year, Holy Mary Inst. Of Tech. and Science,
Hyderabad, TG, India,
jellaakshith2004@gmail.com*

⁵*Professor, AI & ML, Holy Mary Inst. Of Tech. and Science, Hyderabad, TG, India,
Sumanth.koyalkonda@gmail.com*

⁶*Assoc. prof, CSE, Holy Mary Inst. Of Tech. and Science, Hyderabad, TG, India,
venkataramana.b@hmgi.ac.in*

ABSTRACT :

Antennas are fundamental components of modern communication systems, playing a vital role in wireless connectivity and data transmission. However, traditional antenna design and optimization rely heavily on repeated simulations and prototyping, which are both time-consuming and computationally expensive. To address these challenges, this project proposes the development of a machine learning-based model capable of predicting antenna performance parameters—such as gain, return loss, bandwidth, and radiation pattern—based on design and operating conditions. By leveraging artificial intelligence techniques, the proposed approach aims to significantly reduce design time and cost while improving prediction accuracy and efficiency. This research demonstrates the potential of machine learning as a powerful tool for accelerating antenna development and enhancing overall performance prediction capabilities in the rapidly evolving field of wireless communication

Keywords: Antenna Design, Machine Learning, ArtificialIntelligence, Wireless Communication, Bandwidth, Radiation Pattren, Design Optimization ,Computational Effeciency

1. INTRODUCTION :

In today's rapidly evolving world of wireless communication, the performance of antennas plays a pivotal role in ensuring efficient and reliable data transmission. Antennas are the gateway to the wireless world, and their design and optimization are critical for achieving optimal signal coverage and data throughput.

Traditional methods of antenna design and performance evaluation often rely on complex simulations and extensive testing, which can be time-consuming and costly. However, With the development of data analytics and machine learning, there is a tremendous opportunity to revolutionize the way we approach antenna design and performance prediction.

This project aims to make use of machine learning algorithms to predict antenna performance with high accuracy and efficiency. By leveraging vast datasets of antenna characteristics, environmental factors, and realworld performance metrics, we can develop predictive models that provide insights into how different design parameters impact antenna performance.components, incorporating the applicable criteria that follow.

This project holds great promise in addressing the challenges faced by the wireless communication industry. One of the key components of this endeavor is the collection and analysis of comprehensive datasets, encompassing a wide array of antenna specifications and environmental variables. Preprocessing data and designing features will be essential in creating robust ML models capable of delivering precise performance predictions. The application of various machine learning algorithms, like regression models and neural networks, will play a central role in this predictive process.

2. RELATED WORK :

Recent advancements in antenna engineering, meta materials, and wireless communication systems highlight the growing impact of machine learning (ML) and deep learning (DL) in enhancing design accuracy and computational efficiency. Numerous studies have demonstrated that intelligent models can significantly reduce optimization time, improve prediction performance, and streamline complex electromagnetic workflows Machine learning has been extensively used for meta material design, with C Liu et al.[1] demonstrating ML-driven modeling of S-parameters for coding meta materials. Their study highlights how data-driven approaches can replace complex numerical simulations L Zhang et al.[2]further advanced meta surface antenna design by integrating deep learning for optimizing dual T-shaped radiators. Their antenna operates across the 7.9–13 GHz range, achieving a remarkable peak gain of 16.58 dBi. J.Nan et al.[3]applied a DBN-ELM model to optimize fractal and MIMO antenna structures. Their approach produced S-parameters well aligned with design goals, significantly reducing RMSE for both antenna types N,Kurniawati et al.[4]conducted a comprehensive comparison of machine learning estimators for antenna parameter prediction. Their work identified the best-performing models for MAE, MSE, and VSWR estimation.

M.Lan et al.[5]presented a neural-network-based transceiver incorporating various channel and receiver conditions. Their use of autoencoders successfully reduced transmission errors and improved channel robustness.ML has also accelerated antenna optimization, as demonstrated by Gampala et al.[6] who built ML-trained surrogate models capable of performing hundreds of optimization iterations in seconds compared to traditional methods.Lan et al.[7]extended their work by incorporating confidence interval analysis into neural network- based transceiver design, providing deeper insight into error probabilities versus training sample size M.Chen et al.[8]introduced an auxiliary detection network for reducing the size of required training datasets.

Their model efficiently performs DOA verification using updated real-time input data. Deep learning has improved radio propagation modeling, with Imai et al. demonstrating the effectiveness of CNNs in predicting propagation characteristics with higher accuracy than classical approaches. M. E. et al.[9]examined how map parameters influence CNN-based propagation models. Their research stresses the importance of abundant dataset availability and modern computational resource .

R.Tiwari et al.[10]combined Python-based optimization and CST Studio simulations to design and evaluate antennas. Their Random Forest model achieved a 99.56% accuracy rate in antenna property prediction The reliability of Random Forest classifiers in handling high-dimensional and incomplete datasets has been widely recognized, with studies confirming their superior modeling performance in EM applications[11] .

The authors in [12] confirmed that Random Forest classifiers maintain high accuracy even in high-dimensional electromagnetic datasets, supporting earlier claims of its robustness in handling missing and mixed-type data.S. Kumar et al. [13] demonstrated that convolutional neural networks can learn complex radiation patterns and predict far-field antenna characteristics effectively, reducing the need for full-wave simulations. P. Singh et al.m[14]employed gradient-boosted decision trees for predicting return loss and impedance bandwidth, where the model achieved superior performance compared toANN-basedapproaches.A. Roy et al. [15] explored automated antenna tuning using reinforcement learning (RL). Their RL agent autonomously adjusted geometric parameters and achieved faster convergence than manual tuning methods.

H. Park et al. [16]presented a GAN-based model that generates synthetic antenna datasets, improving ML performance when real measurement data is limited.Y. Wang et al. [17] utilized support vector regression (SVR) to predict mm-wave antenna gain and radiation efficiency. Their model showed strong generalization even with small datasets, demonstrating ML's value in early-stage antenna design.F. Ahmed et al. [18] implemented ML-based feature selection techniques to identify the most influential antenna design parameters, reducing computational time while maintaining prediction accuracy.R. Das et al. [19] highlighted that ML accelerates optimization in wearable antennas by predicting bending tolerances and material effects without the need for repeated physical prototyping.S. Patel et al. [20] noted that ML provides automation benefits beyond RF systems, such as in customer-support chatbots. These automation principles translate well into EM engineering, where ML can automate repetitive simulation–optimization cycles.

3. SYSTEM ARCHITECTURE AND METHODOLOGY :

The system architecture for antenna performance prediction using machine learning begins with collecting antenna design and operating parameters such as dimensions, material properties, and frequency. This data is obtained from electromagnetic simulations or measurements and then preprocessed through cleaning, normalization, and feature selection. A suitable machine learning model is trained using this prepared dataset to learn the relationship between design parameters and antenna performance. The trained model predicts key performance metrics like gain, return loss, bandwidth, and radiation pattern for new antenna designs. This architecture reduces reliance on repeated simulations, thereby saving time and improving design efficiency.




Figure.3.0 Project Architecture of Antenna Performance Process

3.0.1 Data collection :

Input Data: The ML model requires a dataset consisting of various antenna design parameters (e.g., substrate material, dimensions, feed-line width, etc.).

Output Data: The corresponding performance characteristics of the antenna (the "ground truth" output) are typically generated by running numerous full-wave EM simulations (using software like CST, HFSS) across a wide range of input parameters. The lack of standardized, publicly available antenna datasets often makes this the most critical and time-consuming step

3.0.2 Data Preprocessing and Feature Selection :

The collected data is cleaned, normalized, and formatted to be suitable for the ML algorithm.

Feature selection identifies the most relevant input parameters that significantly affect the antenna performance, which helps in simplifying the model and improving accuracy.

3.0.3 Model Training and Selection :

Algorithm Choice: Various supervised ML algorithms are used, depending on the prediction task. Regression Models (e.g., Linear Regression, Support Vector Machines (SVM), Gaussian Process Regression, Random Forest, Extreme Gradient Boosting (XGBoost)) are used to predict metrics like return loss (S_{11}), gain, or resonant frequency.

Classification Models are sometimes used to predict binary outcomes (e.g., "acceptable"). Deep Learning (DL) Models (like Deep Neural Networks (DNN) or Convolutional Neural Networks (CNN)) are also employed, especially for more complex antenna geometries or for image-based prediction workflows.

- **Training:** The selected model is trained using the prepared input/output dataset to learn the complex, non-linear relationship between the antenna geometry/materials and its performance
- **Testing and Validation:** A portion of the dataset, reserved as the test set, is used to evaluate the model's accuracy on unseen data. Performance is measured using metrics like Root Mean Square Error (RMSE), Mean Absolute Error (MAE), or Coefficient of Determination (R^2) for regression tasks, or accuracy/F1-score for classification. The validated ML model acts as a surrogate for the EM simulator.

4.1.Data Flow Diagram:

The DFD is also called a bubble chart. It is a simple graphical formalism that can be used to represent a system in terms of input data to the system, various processing carried out on this data, and the output data is generated by this system. The data flow diagram (DFD) is one of the most important modeling tools. It is used to model the system components. These components are the system process, the data used by the process, an external entity that interacts with the system and the information flows in the system. DFD shows how the information moves through the system and how it is modified by a series of transformations. It is a graphical technique that depicts information flow and the transformations that are applied as data moves from input to output.




Figure 4.1 Data Flow

4.2 UML Diagrams:

UML stands for Unified Modeling Language. UML is a standardized general-purpose modeling language in the field of object-oriented software engineering. The standard is managed, and was created by, the Object Management Group. The goal is for UML to

become a common language for creating models of object oriented computer software. In its current form UML comprises two major components: a Meta-model and a notation. In the future, some form of method or process may also be added to; or associated with, UML. The Unified Modeling Language is a standard language for specifying, Visualization, Constructing and documenting the artifacts of software systems, as well as for business modeling and other non-software systems. The UML represents a collection of best engineering practices that have proven successful in the modeling of large and complex systems. The UML is a very important part of developing objects oriented software and the software development process. The UML uses mostly graphical notations to express the design of software projects.

4.3 Use case diagram:

A use case diagram in the Unified Modeling Language (UML) is a type of behavioral diagram defined by and created from a Use-case analysis. Its purpose is to present a graphical overview of the functionality provided by a system in terms of actors, their goals (represented as use cases), and any dependencies between those use cases. The main purpose of a use case diagram is to show what system functions are performed for which actor. Roles of the actors in the system can be depicted.




Figure 4.3 Use Case Diagram

4.4 Class Diagram:

In software engineering, a class diagram in the Unified Modeling Language (UML) is a type of static structure diagram that describes the structure of a system by showing the system's classes, their attributes, operations (or methods), and the relationships among the classes. It explains which class contains information.




Figure 4.4 Class Diagram

4.5. Sequence Diagram:

A sequence diagram in Unified Modeling Language (UML) is a kind of interaction diagram that shows how processes operate with one another and in what order. It is a construct of a Message Sequence Chart. Sequence diagrams are sometimes called event diagrams, event scenarios, and timing diagrams.




Figure 4.5 Sequence Diagram

4.6 Activity Daigram:

Activity diagrams are graphical representations of workflows of stepwise activities and actions with support for choice, iteration and concurrency. In the Unified Modeling Language, activity diagrams can be used to describe the business and operational step-by-step workflows of components in a system. An activity diagram shows the overall flow of control.




Figure 4.6 Activity Diagram

5.IMPLEMENTATION :

Implementation is the stage of the project when the theoretical design is turned out into a working system. Thus it can be considered to be the most critical stage in achieving a successful new system and in giving the user, confidence that the new system will work and be effective.

The implementation stage involves careful planning, investigation of the existing system and its constraints on implementation, designing of methods to achieve changeover and evaluation of changeover methods.

5.1 Module Description:

Number of Modules

- User
- Admin
- Deep learning

5.2 User

The User can register first. While registering, he required a valid user email and mobile for further communications. Once the user registers, then the admin can activate the user. Once the admin activates the user, then the user can login into our system. Users can upload the dataset based on our dataset column matched. For algorithm execution data must be in integer or float format. Here we took different types of images dataset for testing purpose. User can click the Data Preparations in the web page so that the data cleaning process will be started. The cleaned data will be displayed.

5.3 Admin

Admin can login with his login details. Admin can activate the registered users. Once he activates then only the user can login into our system. Admin can view the overall data in the browser. He can also check the algorithms Convolutional Neural Network (CNN), Deep Learning algorithms, Artificial Intelligence.




Figure 5.2&5.3 User And Admin Login Page

5.4 Deep Learning

The methodology of medical image detection using deep learning based artificial intelligence technology. Images are extracted from the trained dataset. Medical imaging diagnosis using a convolution neural network (CNN) based. Proposed implementation uses two types of datasets. One dataset, which had pre-labelled images and the other one is a set of images, which were labelled manually. Results are tabulated, both algorithms achieve good accuracy, but their application in real situations can be based on the trade-off between speed and accuracy

6 RESULT :

Analysis -

ANTENNA PERFORMANCE PREDICTION USING MACHINE LEARNING ALGORITHM

HomeDatasetTrainingAnalysisLogout

S11 Value Prediction

Freq (GHz):
Ex: 2.37931

Length of Patch (mm):
Ex: 31

Width of Patch (mm):
Ex: 32

Slot Length (mm):
Ex: 85

Slot Width (mm):
Ex: 115

Prediction-


ANTENNA PERFORMANCE PREDICTION USING MACHINE LEARNING ALGORITHM

HomeDatasetTrainingAnalysisLogout

S11 Prediction Result

Predicted S11 Value: **-2.6696763420799994**

Performance: **Poor**



Make another prediction


ANTENNA PERFORMANCE PREDICTION USING MACHINE LEARNING ALGORITHM

HomeDatasetTrainingAnalysisLogout


S11 Prediction Result

Predicted S11 Value: **-3.018979845099998**

Performance: **average**



Make another prediction



7.CONCLUSION AND FUTURE WORK

7.1Conclusion

This project demonstrates a Machine Learning approach for predicting antenna performance using Decision Tree Regression. After importing essential libraries and loading the dataset, the code splits the data into training and testing sets. Feature scaling is applied to ensure consistent data representation. The Decision Tree Regressor is trained on the training data and used to predict antenna performance parameters on the test set. Analyzing the visual output of the model's predictions (yellow line) against the actual values (red line) provides valuable insights. This graphical representation allows for a qualitative assessment of the model's accuracy. A close match between the predicted and actual values signifies the model's effectiveness, while deviations indicate areas for potential improvement. To further assess the model, quantitative metrics like Mean Squared Error (MSE) or Root Mean Squared Error (RMSE) can be calculated. Additionally, Decision Tree models are interpretable, enabling a deeper understanding of the underlying rules influencing predictions. By examining the decision rules within the tree structure, domain experts can gain insights into the factors affecting antenna performance predictions. This interpretability is crucial for refining antenna designs based on the model's findings. Continuous evaluation and optimization are essential. If the model's performance falls short, further iterations might involve experimenting with different algorithms, exploring advanced feature engineering techniques, or fine-tuning hyperparameters. These iterative refinements are vital in enhancing the accuracy and reliability of the antenna performance predictions, making the project a robust and valuable application of Machine Learning in the domain of antenna engineering.

7.2FUTURE WORK

The future work of this project focuses on improving and extending the antenna performance prediction system using advanced machine learning techniques. In the future, the model can be enhanced to predict additional parameters such as gain, bandwidth, radiation efficiency, and radiation patterns for a more complete analysis. Integration with electromagnetic simulation tools like HFSS and CST can automate data generation and improve accuracy. Advanced deep learning models can be used to handle complex antenna geometries and large datasets. The system can be extended to support different antenna types, including patch, dipole, and MIMO antennas. Multi-objective optimization can be introduced to optimize multiple antenna

characteristics simultaneously. Real-time prediction and online learning can enable continuous model improvement. Cloud and mobile deployment can improve accessibility and scalability. Explainable AI techniques can help users understand prediction results. These future enhancements will make the system more robust, efficient, and suitable for real-world antenna design applications.

8. REFERENCES :

1. C. Liu et al. [1] introduced advanced machine-learning methodologies for the intelligent design of metamaterials. Their work highlights the effective prediction of S-parameters for coding metamaterials, demonstrating that ML-driven techniques can significantly reduce the complexity of electromagnetic design.
2. L. Zhang et al. [2] proposed a metasurface antenna incorporating dual T-shaped radiating elements, where deep learning is utilized to optimize geometry. Their antenna operates across 7.9–13 GHz and achieves a peak gain of 16.58 dBi at 13 GHz, showcasing the capability of AI to enhance structural efficiency.
3. J. Nan et al. [3] focused on optimizing MIMO and fractal antenna structures using a hybrid DBN-ELM model. Their model shows strong alignment with target S-parameters and achieves RMSE values of 11.87% and 3.56% for fractal and MIMO antennas respectively, outperforming conventional techniques.
4. N. Kurniawati et al. [4] analyzed multiple ML estimators for antenna parameter prediction. Their study finds that three estimators yield the lowest MAE values for gain prediction, while two exhibit reduced MSE, and the use of eight combined estimators produces the smallest standard error for VSWR analysis.
5. M. Lan et al. [5] introduced a neural autoencoder-based transceiver model that minimizes communication errors. Their approach enhances robustness against channel variations and significantly outperforms traditional modulation and detection schemes in simulations.
6. G. Gampala et al. [6] demonstrated that ML-based surrogate models can replicate original antenna designs with high fidelity. Such models enable designers to run hundreds of optimization cycles within seconds, addressing challenges related to convergence and computational time.
7. In a related study, M. Lan et al. [7] used a deep neural network to model transmitter, channel, and receiver components simultaneously. They employed confidence interval techniques to show the correlation between training sample size and transmission error probability, providing insights into dataset sufficiency.
8. M. Chen et al. [8] discussed the effective creation of training datasets for direction-of-arrival (DOA) estimation. Their auxiliary detection network reduces dataset requirements while maintaining accurate DOA verification after network training.
9. T. Imai et al. [9] demonstrated that CNN-based deep learning models can accurately predict radio propagation characteristics. Their work highlights the efficiency and reliability of deep learning as a replacement for traditional empirical propagation models.
10. M. E. et al. [10] examined how map-derived parameters influence CNN predictions for wireless signal analysis. Their work emphasizes that the abundance of available spatial datasets

and the rise in computational power make ML increasingly suitable for RF system optimization

11. R. Tiwari et al. [11] integrated Python Spyder with CST Studio to create a hybrid simulation and ML prediction framework. They showed that Random Forest models achieve 99.56% prediction accuracy, validating their effectiveness in antenna parameter estimation.
12. The authors in [12] confirmed that Random Forest classifiers maintain high accuracy even in high-dimensional electromagnetic datasets, supporting earlier claims of its robustness in handling missing and mixed-type data.
13. S. Kumar et al. [13] demonstrated that convolutional neural networks can learn complex radiation patterns and predict far-field antenna characteristics effectively, reducing the need for full-wave simulations.
14. P. Singh et al. [14] employed gradient-boosted decision trees for predicting return loss and impedance bandwidth, where the model achieved superior performance compared to ANN-based approaches.
15. Roy et al. [15] explored automated antenna tuning using reinforcement learning (RL). Their RL agent autonomously adjusted geometric parameters and achieved faster convergence than manual tuning methods.
16. H. Park et al. [16] presented a GAN-based model that generates synthetic antenna datasets, improving ML performance when real measurement data is limited.
17. Y. Wang et al. [17] utilized support vector regression (SVR) to predict mm-wave antenna gain and radiation efficiency. Their model showed strong generalization even with small datasets, demonstrating ML's value in early-stage antenna design.
18. F. Ahmed et al. [18] implemented ML-based feature selection techniques to identify the most influential antenna design parameters, reducing computational time while maintaining prediction accuracy.
19. R. Das et al. [19] highlighted that ML accelerates optimization in wearable antennas by predicting bending tolerances and material effects without the need for repeated physical prototyping.
20. S. Patel et al. [20] noted that ML provides automation benefits beyond RF systems, such as in customer-support chatbots. These automation principles translate well into EM engineering, where ML can automate repetitive simulation–optimization cycles.